

P | Cabling

Data sheet

Keystone wall outlet UP0 1 port unequipped


Page 1/5

P/N
130B20D11200KE
EAN 4250184157694
2021/08/30
Version: O

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- termination unit for individual modules in Keystone design
- module plug direction 45° downwards
- strain relief on the module
- without cover parts
- compatible with design central units of switch lines (note: 3 port central units at present only available from JUNG)
- variants: 1 port, 2 ports, 3 ports



P | Cabling

Data sheet

Page 2/5

Keystone wall outlet UP0 1 port unequipped

P/N

130B20D11200KE

EAN 4250184157694

2021/08/30

Version: O

Technical Data

General Data

Fields of application

Office

Design

wall outlet

Color

metallike

Dimensions

Dimension (L x W x H)

15.4 mm x 69.9 mm x 69.9 mm

Dimension (L x W x H)

0.606 in. x 2.752 in. x 2.752 in.

Connections/interfaces

Number of ports interface 2

1

Number of ports interface 2 equipped

0

Module plug-in direction

45° downwards

Mechanical data

Cut-out

Keystone

strain relief

attached to module

Materials and material properties

Material - Supporting frame

GD-Zn (zinc die-cast)

RoHS

compliant

Classifications

ETIM 5.0

EC001264

ETIM 6.0

EC001264

ETIM 7.0

EC001264

ETIM 8.0

EC001264

Packing details

Type of packaging

10 pc(s) / box

Packaging unit - Weight (gram)

599 g

Packaging unit - Weight (pound)

1.32 lb

Packaging dimension

240 mm x 170 mm x 140 mm

Packaging dimension

9.449 in. x 6.693 in. x 5.512 in.



P | Cabling

Data sheet

Page 3/5

Keystone wall outlet UP0 1 port unequipped

P/N

130B20D11200KE

EAN 4250184157694

2021/08/30

Version: O

Accessories

P/N	Designation
130829-01-I	Surface mount frame 85 x 85 x 35 mm - single, pearl white
130829-02-I	Surface mount frame 85 x 85 mm - Single, pure white
130829-4301-I	Surface mount frame 85 x 85 x 43 mm - single, pearl white
130829-4302-I	Surface mount frame 85 x 85 x 43 mm - single, pure white
130829-4327-I	Surface mount frame 85 x 85 x 43 mm - single, traffic white
1308895010-I	T-Slot Mounting Bracket for Wall Outlets - Horizontal Mounting 50 mm, without separation cup
1308895011-I	T-Slot Mounting Bracket for Wall Outlets - Horizontal Mounting 50 mm, with separation cup
1308895020-I	DIN Rail Mounting Bracket for Wall Outlets - Horizontal Mounting 50 mm, without separation cup
1308895021-I	DIN Rail Mounting Bracket for Wall Outlets - Horizontal Mounting 50 mm, with separation cup
1308895040-I	T-Slot mounting bracket for wall outlets - Vertical Mounting 50 mm, without separation cup
1308895041-I	T-Slot mounting bracket for wall outlets - Vertical Mounting 50 mm, with separation cup
1308895220-I	DIN Rail Mounting Bracket for Wall Outlets - Horizontal Mounting 52 mm, without separation cup
1308895221-I	DIN Rail Mounting Bracket for Wall Outlets - Horizontal Mounting 52 mm, with separation cup
1308895510-I	T-Slot Mounting Bracket for Wall Outlets - Horizontal Mounting 55 mm, without separation cup
1308895511-I	T-Slot Mounting Bracket for Wall Outlets - Horizontal Mounting 55 mm, with separation cup
1308895520-I	DIN Rail Mounting Bracket for Wall Outlets - Horizontal Mounting 55 mm, without separation cup
1308895521-I	DIN Rail Mounting Bracket for Wall Outlets - Horizontal Mounting 55 mm, with separation cup
1308895540-I	T-Slot mounting bracket for wall outlets - Vertical Mounting 55 mm, without separation cup
1308895541-I	T-Slot mounting bracket for wall outlets - Vertical Mounting 55 mm, with separation cup
130889ADTK-I	Mounting bracket ADTK for OBO
130889ADTSA-I	Mounting bracket ADTSA for OBO
130889FKH-I	Mounting bracket FR for Kleinhuis
130889FNI-I	Mounting bracket FR for Niedax
130889FTE-I	Mounting bracket FR for Tehalit
820395-0101-I	Cover plate 80 x 80 mm, pearl white, module



P | Cabling

Data sheet

Page 4/5

Keystone wall outlet UP0 1 port unequipped

P/N

130B20D11200KE

EAN 4250184157694

2021/08/30

Version: O

Accessories

820395-0102-I	Cover plate 80 x 80 mm, pure white, module
820395-0127-I	Cover plate 80 x 80 mm, traffic white, modul
860210-0002-I	Central plate 50 x 50 mm 1 port, pure white, modul
860210-27-I	Central plate 50 x 50 mm 1 port, traffic white, modul
860210-I	Central plate 50 x 50 mm 1 port, pearl white, modul



P | Cabling

Data sheet

Page 5/5

Keystone wall outlet UP0 1 port unequipped

P/N

130B20D11200KE

EAN 4250184157694

2021/08/30

Version: O

Illustrations

Dimensional drawing

