

Data sheet

Keystone wall outlet UP0 2 port unequipped

Page 1/5


P/N
130B20D21200KE
EAN 4250184157717

2017-18-08

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- termination unit for individual modules in Keystone design
- module plug direction 45° downwards
- strain relief on the module
- without cover parts
- compatible with "design" central units of switch lines (note: 3 port central units at present only available from JUNG)
- variants: 1 port, 2 ports, 3 ports

Keystone wall outlet UP0 2 port unequipped

P/N
130B20D21200KE
EAN 4250184157717

2017-18-08

Technical Data

General Data

Fields of application

Office

Design

Wall outlet

Mounting style

UP0

Color

metallike

Dimensions

Dimension (L x W x H)

15.40 x 69.90 x 69.90 mm

Dimension (L x W x H)

0.606 x 2.752 x 2.752 in.

Connections/interfaces

Number of ports interface 2

2

Number of ports interface 2 equipped

0

Module plug-in direction

45° downwards

Mechanical characteristics

Cut-out

Keystone

strain relief

attached to module

Materials and material properties

Material - Supporting frame

GD-Zn (zinc die-cast)

Approvals

RoHS

compliant

Classifications

ETIM 5.0

EC001264

ETIM 6.0

EC001264

Packing details

Type of packaging

10 pc(s) / box

Packaging unit - Weight (gram)

597.00 g

Packaging unit - Weight (pound)

1.32 lb

Packaging dimension (W x H x D)

235.00 x 165.00 x 135.00 mm

Packaging dimension (W x H x D)

9.252 x 6.496 x 5.315 in.



Keystone wall outlet UP0 2 port unequipped

P/N

130B20D21200KE

EAN 4250184157717

2017-18-08

Accessories

P/N	Designation
130829-01-I	Surface mount frame 85 x 85 mm - Single, pearl white
130829-02-I	Surface mount frame 85 x 85 mm - Single, pure white
1308895010-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 50 mm, ohne Trennschale
1308895011-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 50 mm, mit Trennschale
1308895020-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 50 mm, ohne Trennschale
1308895021-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 50 mm, mit Trennschale
1308895040-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 50 mm, ohne Trennschale
1308895041-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 50 mm, mit Trennschale
1308895220-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 52 mm, ohne Trennschale
1308895221-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 52 mm, mit Trennschale
1308895510-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 55 mm, ohne Trennschale
1308895511-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau waagrecht 55 mm, mit Trennschale
1308895520-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 55 mm, ohne Trennschale
1308895521-I	Montagehalter für Anschlussdosen Tragschienenbefestigung - Einbau waagrecht 55 mm, mit Trennschale
1308895540-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 55 mm, ohne Trennschale
1308895541-I	Montagehalter für Anschlussdosen T-Nut-Befestigung - Einbau senkrecht 55 mm, mit Trennschale



Keystone wall outlet UP0 2 port unequipped

P/N

130B20D21200KE

EAN 4250184157717

2017-18-08

Accessories

820395-0101-I	Cover plates for E-DAT modul wall outlets, pearl white
820395-0102-I	Cover plates for E-DAT modul wall outlets, pire white
130889FKH-I	Mounting bracket FR for Kleinhuis
130889FNI-I	Mounting bracket FR for Niedax
130889FTE-I	Mounting bracket FR for Tehalit
130889ADTK-I	Mounting bracket ADTK for OBO
130889ADTSA-I	Mounting bracket ADTSA for OBO



P | Cabling

Data sheet

Keystone wall outlet UP0 2 port unequipped

Page 5/5

P/N
130B20D21200KE
EAN 4250184157717

2017-18-08

Illustrations

Dimensional drawing

