

P | Cabling

Data sheet

DCCS2 subassembly 4 port unequipped - Keystone

Page 1/4

P/N

130D2CKU4-E

EAN 4250184181309


2021/08/30

Version: B

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- DCCS2 4 port subassembly unequipped for modular termination units in Keystone design
- solid stainless steel support
- fastening by a knurled screw in 19-inch subracks
- easy mounting/dismounting to/from 19-inch subracks in 19-inch cabinets (plug and play)
- design: DCCS2
- suitable RJ45 modules: 13B21-E, 130910KI, 130A10-I, 130A10-I-B1, 130A10-29-I, 130A10-29-I-B1, 130A08-I and 130A08-I-B1
- suitable RJ45 couplers: 1309A0-I
- suitable fiber optic modules: 15091001-I, 15091070-I, 15091071-I, 15091072-I, 15091075-I and 15091076-I



P | Cabling

Data sheet

Page 2/4

DCCS2 subassembly 4 port unequipped - Keystone

P/N

130D2CKU4-E

EAN 4250184181309

2021/08/30

Version: B

Technical Data

General Data

Fields of application

Data center

Design

subassembly / assembly / module / unit

Mounting style

DCCS

Color

stainless steel

Connections/interfaces

Number of ports interface 2

4

Number of ports interface 2 equipped

0

Mechanical data

Cut-out

DCCS

strain relief

cable tie

Materials and material properties

Material - Housing

stainless steel

RoHS

compliant

Classifications

ETIM 5.0

EC002697

ETIM 6.0

EC002697

ETIM 7.0

EC002697

ETIM 8.0

EC002697

Packing details

Type of packaging

1 box

Packaging dimension

230 mm x 60 mm x 45 mm

Packaging dimension

9.055 in. x 2.362 in. x 1.772 in.



P | Cabling

Data sheet

Page 3/4

DCCS2 subassembly 4 port unequipped - Keystone

P/N

130D2CKU4-E

EAN 4250184181309

2021/08/30

Version: B

Accessories

P/N	Designation
130898-0003KI	Keystone BLIND module light gray
130898-0029KI	Keystone BLIND module black
130898-0103KI	COAX modul F jack / F jack, Keystone
130898-0203KI	COAX modul IEC jack / F jack, Keystone
130898-0303KI	COAX modul IEC plug / F jack, Keystone
130910KI	E-DAT modul Cat.6 _A K jack - Keystone style
130910KZ	E-DAT modul Cat.6 _A K jack - Keystone style (12 pcs)
1309A0-I	E-DAT modul Coupler 8(8) 180° class E _A
130A08-I-B1	UTP modul Cat.5e white
130A10-29-I-B1	UTP modul 8(8) Cat.6 black
130A10-I-B1	UTP modul 8(8) Cat.6 white
130A11-29KI	UTP modul 8(8) Cat.6 _A keystone black
130A11KI	UTP modul 8(8) Cat.6 _A keystone white
130B21-25-E	""25Gmodul - Keystone""
130B21-25-Z	25Gmodul - Keystone style (12 pcs)
130B21-E	C6 _A modul K 180° jack - Keystone style
130B21-Z	C6 _A modul K 180° jack - Keystone style (12 Stück)
130D2B1B-E	DCCS2 BGT 19 inch 1RU subrack black
130D2B1G-E	DCCS2 BGT 19 inch 1RU subrack light gray
15091071-I	OpDAT modul LC-D (ceramic, blue) SM
15091072-I	OpDAT modul LC-D (ceramic, aqua) MM
15091075-I	OpDAT modul LC-D (ceramic, violet) MM
15091076-I	OpDAT modul LC-D APC (ceramic, green) SM
1509107B-I	OpDAT modul LC-D (ceramic, beige) MM

P | Cabling

Data sheet

Page 4/4

DCCS2 subassembly 4 port unequipped - Keystone

P/N

130D2CKU4-E

EAN 4250184181309

2021/08/30

Version: B

Illustrations

Dimensional drawing

